


PLAN VIEW



SECTION A-A

**DESIGN DATA & GENERAL NOTES**

- [1] Concrete strength  $f_c = 4,000$  p.s.i. @ 28 days. Density = 150 pcf.
- [2] Cement - Portland Type I/II per ASTM C 150-92.
- [3] Admixtures & plasticizers per ASTM C 260-86 & C 494-92.
- [4] Reinforcing per ASTM A185. Min. 1-1/2" cover.
- [5] Top slab sealed with butyl rope mastic.
- [6] 4" wall, base, & top thickness.



6264 Race Road  
Elkridge, Maryland 21075

*Babylon*  
VAULT  
SINCE 1930

1,000 GALLON PUMP TANK  
1-Compartment

Stock Item

Dwg. No. 1000-P

No Scale

Jan 1, 2000